

L Number	Hits	Search Text	DB	Time stamp
1	3	quer\$5 with result with excerpt with (database or (data adj base or source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:38
2	10	quer\$5 with result with excerpt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:40
3	12170	quer\$5 with (result or excerpt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:44
4	6283	(quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:46
5	3043	((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:50
6	2107	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near9 (result or excerpt or summary or brief or document)) with (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:47
7	1573	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3(result or excerpt or summary or brief or document)) with (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:47
8	1573	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document)) with (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:47
9	1419	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document))near9 (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:47
10	1419	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document)) near9 (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:48
11	1395	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document)) near9 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:48
12	102	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and ((quer\$5 near9 result) near9 (excerpt or summary or brief or document)) near9 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:49
13	117	((quer\$5 near9 result) near6 (excerpt or summary or brief or document)) near6 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:42

14	77	((quer\$5 near9 result) near6 (excerpt or summary or brief or document)) near6 (database or (data adj base))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:53
15	6	((quer\$5 near9 result) near6 (excerpt or summary or brief or document)) near6 (database or (data adj base))) and 707/\$.ccls.) and match\$3 near5 rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:51
16	1126	(quer\$5 near9 (excerpt or summary or brief or document)) near6 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:53
17	833	(quer\$5 adj9 (excerpt or summary or brief or document)) near6 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:53
18	535	((quer\$5 adj9 (excerpt or summary or brief or document)) near6 (database or (data adj base))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:54
19	39	(quer\$5 adj9 (excerpt or summary or brief or document)) near6 (result near3 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:10
20	29	((quer\$5 adj9 (excerpt or summary or brief or document)) near6 (result near3 (database or (data adj base)))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:11
21	93	(quer\$5 adj9 (excerpt or summary or brief or document)) near6 (result near9 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:16
22	69	((quer\$5 adj9 (excerpt or summary or brief or document)) near6 (result near9 (database or (data adj base)))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:29
23	12	quer\$5 adj10 (result near9 describ\$4 near9 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:19
24	0	(quer\$5 adj10 (database or (data adj base))) adj10 (describ\$4 adj5 (relust near6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:20
25	0	(quer\$5 adj10 (database or (data adj base))) adj10 (describ\$4 adj10 (relust near6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:20
26	0	(quer\$5 adj10 (database or (data adj base))) same (describ\$4 adj10 (relust near6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:21

27	8	(quer\$5 adj10 (database or (data adj base))) same (describ\$4 adj10 (result near6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:23
28	8	(quer\$5 adj10 (database or (data adj base))) with (describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:24
29	16	(quer\$5 adj10 (database or (data adj base))) and (describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:32
30	1	((quer\$5 adj10 (database or (data adj base))) and (describ\$4 adj10 (result adj6 (database or (data adj base)))) and "best" adj result	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:25
31	48168	"best" adj result	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:26
32	17	("best" adj result) same (database or (data adj base)) same quer\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:30
33	106	("best" adj result) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:29
34	60	("best" adj result) and 707/2,3,4,6,7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:46
35	60	(("best" adj result) and 707/2,3,4,6,7.ccls.) result same queryt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:30
36	17755	(("best" adj result) and 707/2,3,4,6,7.ccls.) result same query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:30
37	42	(("best" adj result) and 707/2,3,4,6,7.ccls.) and result same query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:30
38	0	((("best" adj result) and 707/2,3,4,6,7.ccls.) and result same query) and result same query same (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:31
39	34	((("best" adj result) and 707/2,3,4,6,7.ccls.) and result same query) and result same query same (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:51

40	1	("best" adj result) and (describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:33
41	27	(describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:46
42	5	((describ\$4 adj10 (result adj6 (database or (data adj base)))) and 707/2,3,4,6,7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:44
43	1384	(result adj10 (excerpt or summary or brief or document)) and (query near6 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:46
44	470	((result adj10 (excerpt or summary or brief or document)) and (query near6 (database or (data adj base)))) and 707/2,3,4,6,7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:44
45	109	((result adj10 (excerpt or summary or brief or document)) and (query near6 (database or (data adj base)))) and 707/2,3,4,6,7.ccls.) and (result adj10 (excerpt or summary or brief or document)) same (query near6 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:45
46	41	((result adj10 (excerpt or summary or brief or document)) and (query near6 (database or (data adj base)))) and 707/2,3,4,6,7.ccls.) and (result adj10 (excerpt or summary or brief or document)) with (query near6 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:45
47	14782	(result adj10 (excerpt or summary or brief or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:46
48	11838	(result adj6 (excerpt or summary or brief or document))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:46
49	876	((result adj6 (excerpt or summary or brief or document))) and 707/2,3,4,6,7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:46
50	0	((result adj6 (excerpt or summary or brief or document))) and 707/2,3,4,6,7.ccls.) and (describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:47
51	257	((result adj6 (excerpt or summary or brief or document))) and 707/2,3,4,6,7.ccls.) and (describ\$4 or result) adj6 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:47
52	202	((result adj6 (excerpt or summary or brief or document))) and 707/2,3,4,6,7.ccls.) and (describ\$4 or result) adj4 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:47

54	3	((((result adj6 (excerpt or summary or brief or document))) and 707/2,3,4,6,7.ccls.) and (describ\$4 and result) adj2 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:55
53	116	((((result adj6 (excerpt or summary or brief or document))) and 707/2,3,4,6,7.ccls.) and (describ\$4 or result) adj2 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:49
55	86	(((((result adj6 (excerpt or summary or brief or document))) and 707/2,3,4,6,7.ccls.) and (describ\$4 or result) adj2 (database or (data adj base))) and result same query same (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:51
56	10	(((((result adj6 (excerpt or summary or brief or document))) and 707/2,3,4,6,7.ccls.) and (describ\$4 or result) adj2 (database or (data adj base))) and result same query same (database or (data adj base))) and describ\$4 near2 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:55

L Number	Hits	Search Text	DB	Time stamp
1	3	quer\$5 with result with excerpt with (database or (data adj base or source))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:38
2	10	quer\$5 with result with excerpt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:40
3	12170	quer\$5 with (result or excerpt)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:44
4	6283	(quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:46
5	3043	((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:50
6	2107	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near9 (result or excerpt or summary or brief or document)) with (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:47
7	1573	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document)) with (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:47
8	1573	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document)) with (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:47
9	1419	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document))near9 (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:47
10	1419	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document)) near9 (database or (data adj base) or describ\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:48
11	1395	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and (quer\$5 near3 (result or excerpt or summary or brief or document)) near9 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:48
12	102	((((quer\$5 near9 (result or excerpt or summary or brief or document)) same (database or (data adj base) or describ\$6)) and 707/\$.ccls.) and ((quer\$5 near9 result) near9 (excerpt or summary or brief or document)) near9 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:49
13	117	((quer\$5 near9 result) near6 (excerpt or summary or brief or document)) near6 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:52

14	77	((((quer\$5 near9 result) near6 (excerpt or summary or brief or document))) near6 (database or (data adj base))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:53
15	6	(((((quer\$5 near9 result) near6 (excerpt or summary or brief or document))) near6 (database or (data adj base))) and 707/\$.ccls.) and match\$3 near5 rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:51
16	1126	(quer\$5 near9 (excerpt or summary or brief or document)) near6 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:53
17	833	(quer\$5 adj9 (excerpt or summary or brief or document)) near6 (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:53
18	535	((quer\$5 adj9 (excerpt or summary or brief or document)) near6 (database or (data adj base))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 12:54
19	39	(quer\$5 adj9 (excerpt or summary or brief or document)) near6 (result near3 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:10
20	29	((quer\$5 adj9 (excerpt or summary or brief or document)) near6 (result near3 (database or (data adj base)))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:11
21	93	(quer\$5 adj9 (excerpt or summary or brief or document)) near6 (result near9 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:16
22	69	((quer\$5 adj9 (excerpt or summary or brief or document)) near6 (result near9 (database or (data adj base)))) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:29
23	12	quer\$5 adj10 (result near9 describ\$4 near9 (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:19
24	0	(quer\$5 adj10 (database or (data adj base))) adj10 (describ\$4 adj5 (relust near6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:20
25	0	(quer\$5 adj10 (database or (data adj base))) adj10 (describ\$4 adj10 (relust near6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:20
26	0	(quer\$5 adj10 (database or (data adj base))) same (describ\$4 adj10 (relust near6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:21

27	8	(quer\$5 adj10 (database or (data adj base))) same (describ\$4 adj10 (result near6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:23
28	8	(quer\$5 adj10 (database or (data adj base))) with (describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:24
29	16	(quer\$5 adj10 (database or (data adj base))) and (describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:32
30	1	((quer\$5 adj10 (database or (data adj base))) and (describ\$4 adj10 (result adj6 (database or (data adj base)))) and "best" adj result	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:25
31	48168	"best" adj result	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:26
32	17	("best" adj result) same (database or (data adj base)) same quer\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:30
33	106	("best" adj result) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:29
34	60	("best" adj result) and 707/2,3,4,6,7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:33
35	60	(("best" adj result) and 707/2,3,4,6,7.ccls.) result same queryt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:30
36	17755	(("best" adj result) and 707/2,3,4,6,7.ccls.) result same query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:30
37	42	(("best" adj result) and 707/2,3,4,6,7.ccls.) and result same query	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:30
38	0	((("best" adj result) and 707/2,3,4,6,7.ccls.) and result same query) and resut same query same (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:31
39	34	((("best" adj result) and 707/2,3,4,6,7.ccls.) and result same query) and result same query same (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:31

40	1	("best" adj result) and (describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:33
41	27	(describ\$4 adj10 (result adj6 (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:33
42	5	((describ\$4 adj10 (result adj6 (database or (data adj base)))) and 707/2,3,4,6,7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 13:33

L Number	Hits	Search Text	DB	Time stamp
1	2127	result same describ\$6 same (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:02
2	286	((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:01
3	253	((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.) and result near6 (query or search\$6 or (database or (data adj base)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:01
4	41	((((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.) and result near6 (query or search\$6 or (database or (data adj base)))) and (result with describ\$6 with (database or (data adj base))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:04
5	0	(((((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.) and result near6 (query or search\$6 or (database or (data adj base)))) and (result with describ\$6 with (database or (data adj base)))) and excerpt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:05
6	2	(((((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.) and result near6 (query or search\$6 or (database or (data adj base)))) and excerpt	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:06
7	46	(((((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.) and result near6 (query or search\$6 or (database or (data adj base)))) and (excerpt or log or snapshot or (snap adj shot) or summary or brief) near9 (query or result)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:21
8	3	(((((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.) and result near6 (query or search\$6 or (database or (data adj base)))) and (excerpt or log or snapshot or (snap adj shot) or summary or brief) near9 (query or result)) and (evalu\$8 or match43 or compar\$6) with rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:10
9	6	(((((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.) and result near6 (query or search\$6 or (database or (data adj base)))) and ((excerpt or snapshot or (snap adj shot) or summary or brief or query) near log) same (query and result)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:25
10	8	(((((result same describ\$6 same (database or (data adj base))) and 707/2,3,6,7.ccls.) and result near6 (query or search\$6 or (database or (data adj base)))) and ((excerpt or snapshot or (snap adj shot) or summary or brief or query) near log)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 14:25